Ever Injured In Fall (Older Adults) (Age 45+)

Ever Injured In Fall (Older Adults) (Age 45+)

- •Most recent data (2014): 12% or about 93,100 King County adults age 45+.
- •Trend over time: 2006-14: rising
- •Description: A fall in the last 3 months caused an injury (the fall limited regular activities for at least a day or prompted a visit to a doctor)
- •Healthy People 2020 Goal: None listed for this indicator.

Ever injured in fall (older adults) (age 45+), King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (age 45+)	8	7	9
AGE	4	,	
45-64	9	8	10
65-74	7	5	8
75+	8	6	10
SUBPOPS			
GENDER			
Male	7	5	8
Female	10	9	11
RACE/ETHNICITY		· · · · · · · · · · · · · · · · · · ·	
AIAN	9 §	4 §	21 §
Asian	2 §	1 §	4 §
Black	16	10	26
Hispanic	12	7	20
Multiple	16	9	25
NHPI	*	*	*
White	8	7	9
HOUSEHOLD INCOME			
\$15,000	21	15	28
\$15,000 to \$24,999	12	9	17
\$25,000 to \$34,999	8	6	11
\$35,000 to \$49,999	7	5	9
\$50,000 to \$74,999	7	5	9
\$75,000+	6	5	8
REGION			
East	7	6	9
North	9	6	13
Seattle	8	7	10
South	9	7	11
STATE			
Washington State	5	5	5

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


CI is 95% Confidence Interval.

 $\$ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

 $^{^{\}star}$ Too few cases to protect confidentiality and/or report reliable rates.

Ever injured in fall (older adults) (age 45+) King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Ever injured in fall (older adults) (age 45+) by health reporting areas, King County, 2010-2014 average

	Percent	Lower Cl	Upper Cl
King County (age 45+)	8	7	9
Auburn	8	5	13
Auburn-North	5 §	3§	10 §
Auburn-South	12 §	6 §	23 §
Bear Creek/Carnation/Duvall	9	5	15
Bellevue	7	4	10
Bellevue-Central	5 §	3 §	10 §
Bellevue-NE	6 §	2 §	16 §
Bellevue-South	6 §	3 §	12 §
Bellewe-West	11 §	5 §	21 §
Black Diamond/Enumclaw/SE County	8§	4 §	15 §
Bothell/Woodinville	10 §	4§	20 §
Burien	15	8	25
Covington/Maple Valley	6 §	4§	12 §
Des Moines/Normandy Park	12 §	5 §	26 §
East Federal Way	3 §	1 §	8 §
Fairwood	16	9	27
Federal WayFed Way-Central/Military Rd	11	7 6	17 19
Fed Way-Dash Point/Woodmont	11 § 8 §	6 §	22 §
Issaquah		3 §	21 §
Kenmore/LFP	5 §	2 §	8 §
Kent	8	5	13
Kent-East	9 §	3 §	23 §
Kent-SE	9	5	16
Kent-West	5 §	2§	11 [§]
Kirkland	7	4	12
Kirkland	6	3	10
Kirkland North	8 §	3 §	20 §
Mercer Isle/Pt Cities	6	3	10
Newcastle/Four Creeks	9 §	5 §	16 [§]
North Highline	*	*	*
Redmond	5 §	2§	10 [§]
Renton	7	4	12
Renton-East	6 §	3 §	13 [§]
Renton-North	9 §	4 §	18 §
Renton-South	7 §	3 §	17 [§]
Sammamish	5 §	3 §	10 §
SeaTac/Tukwila	6 §	2 §	13 [§]
Seattle	8	7	10
Ballard	5	3	8
Beacon/Gtown/S.Park	7 §	3 §	16 §
Capitol Hill/E.lake	7 \$	3 §	13 [§]
Central Seattle	11 §	5 §	22 §
Delridge	10 §	5 §	19 §
Downtown	25	14	39
Fremont/Greenlake	8	5	13
NE Seattle	9 §	4 §	16 [§]
North Seattle	5	3	9
NW Seattle	7 \$	4 §	13 [§]
QA/Magnolia	6	4	9
SE Seattle	8 §	2\$	24 §
West Seattle	5	3	8
Shoreline	12	7	19
Snoqualmie/North Bend/Skykomish	11.§	6§	20 §
Vashon Island	9 §	4 §	19 §
Comparisons:	7 3,	4,	13.5

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


Cl is 95% Confidence Interval.

 $\ensuremath{^{\star}}$ Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

 $\label{persons} \mbox{ Persons of Hispanic ethnicity can be of any race and are included in the racial categories.}$


Ever injured in fall (older adults) (age 45+) by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Ever injured in fall (older adults) (age 45+) King County, 2006-2014, three-year rolling averages



Trends over time: King County (2006-14: rising); East KC (2006-14: rising); North KC (2006-14: flat); Seattle (2006-14: rising); South KC (2006-14: rising); Washington State (2006-10: flat)
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the Assessment, Policy Development & Evaluation Unit Public Health - Seattle & King County 08/16

